

NAME:INDEX NO:.....

SCHOOL:STREAM:.....

233/3
CHEMISTRY
PRACTICAL
PAPER 3
JUNE
TIME: 2 HOURS

**BUNYORE – MARANDA (BUMA) JOINT EXAMINATIONS
CHEMISTRY PAPER 3**

INSTRUCTIONS TO CANDIDATES

- Write your name and index number in the spaces provided above.
- Answer ALL the questions in the spaces provided in the question paper.
- You are NOT allowed to start working with the apparatus for the first 15 minutes of the 2 ½ hours allowed for this paper. This time is to enable you to read the question paper and make sure you have all the chemicals and apparatus that you may need.
- All working MUST be clearly shown where necessary
- Mathematical tables and electronic calculators may be used.

FOR EXAMINER'S USE ONLY

QUESTION	MAX. SCORE	SCORE-----
1	20	_____
2	14	_____
3	6	_____
TOTAL SCORE	40	_____

1. You are provided with: -
 4.5g of solid A in a boiling tube.
 Solution B, 0.06M acidified Potassium manganate (VII)

You are required to determine

- (1) The solubility of solid A at different temperatures.
- (2) The number of moles of water of crystallization in solid A.

PROCEDURE

- (a) Using a burette, add 4cm³ of distilled water to solid A in the boiling tube. Heat the mixture while stirring with the thermometer to about 70⁰C. When the entire solid has dissolved, allow the solution to cool while stirring with the thermometer. Note the temperature at which crystals of solid A first appear. Record this temperature in table 1.
- (b) Using the burette, add 2cm³ of distilled water to the contents of the boiling tube. Warm the mixture while stirring with the thermometer until all the solid dissolves. Allow the mixture to cool while stirring. Note and record the temperature at which crystals of solid A first appear.
- (c) Repeat procedure (b) two more times and record the temperatures in table I. Retain the contents of the boiling tube for use in procedure (e)
- (d) (i) Complete table 1 by calculating the solubility of solid A at the different temperatures. The solubility of a substance is the mass of the substance that dissolves in 100cm³ (100g) of water at a particular temperature. (6 marks)

Table 1

Volume of water in the boiling tube (cm ³)	Temperature at which crystals of solid A first appear (⁰ C)	Solubility of solid A (g/100g water)
4		
6		
8		
10		

- (ii) On the grid provided, plot a graph of the solubility of solid A (vertical axis against temperature). (3 marks)
- (iii) Using your graph, determine the temperature at which 100g of solid A would dissolve in 100cm³ of water. (1 mark)

(e) (i) Transfer the contents of the boiling tube into a 250ml volumetric flask. Rinse both the boiling tube and the thermometer with distilled water and add to the volumetric flask. Add more distilled water to make up to the mark. Label this solution A. Fill a burette with solution B. Using a pipette and a pipette filler, place 25.0cm³ of solution A into a conical flask. Warm the mixture to about 70⁰C. Titrate the hot solution A with solution B until a permanent pink colour persists. Record your readings in table 2. Repeat the titration two more times and complete table 2. (Retain the remaining solution B for use in question 3).

Table 2

	I	II	III
Final burette reading			
Initial burette reading			
Volume of solution B used (cm ³)			

(3 marks)

(ii) Calculate the:

I. Average volume of solution B used. (1 mark)

II. Number of moles of potassium manganate (VII) used. (1 mark)

III. Number of moles of A 25cm^3 of solution A given that 2 moles of potassium manganate (VII) react completely with 5 moles of A. (1 mark)

VI. Relative formula mass of A. (2 marks)

(iii) The formula of A has the form $D \cdot x\text{H}_2\text{O}$. Determine the value of x in the formula given that the relative formula mass of D is 90.0 and atomic masses of oxygen and hydrogen are 16.0 and 1.0 respectively.

2. You are provided with 10cm^3 P. Solution P contains two cations and one anion. Carry out the tests below and record your observations and inferences in the spaces provided.

(a) Add 20cm^3 of 2M aqueous sodium hydroxide to all of solution P provided. Shake well filter the mixture into conical flask. Retain both and the residue.

Observations	Inferences
(1 mark)	(1 mark)

(b) (i) To about 2cm^3 of the filtrate, add 2m nitric acid dropwise until in excess (i.e. about 1cm^3 of the acid). Retain the mixture.

Observations
(1 mark)

Divide the mixture in b(i) above into two portions.

(ii) To the first portion, add aqueous sodium hydroxide dropwise until in excess.

Observations	Inferences
(1 mark)	(2 marks)

(iii) To the second portion, add aqueous ammonia dropwise until in excess.

Observations	Inferences
(1 mark)	(1 mark)

(b) To 2cm^3 of the filtrate, add 3 drop of potassium iodide solution.

Observations	Inferences

(1 mark)

(1 mark)

(c) To 2cm^3 of filtrate, add 3 drops of acidified barium nitrate solution.

Observations	Inferences
(1 mark)	(1 mark)

(e) To the residue in (a) add 8cm^3 of dilute nitric acid and allow it to filter into a boiling tube.

(i) To 2cm^3 of this filtrate, add aqueous ammonia dropwise until in excess.

Observations	Inferences
(1 mark)	(1 mark)

3. Dissolve all of solid G in about 10cm^3 of distilled water in a boiling tube. Use the solution for tests (a) to (c) below.

(a) Place 2cm^3 of the solution in a test tube and add 2 drops of acidified potassium manganate (VII), solution B from the burette.


Observations	Inferences
(1 mark)	(1 mark)

(b) To 2cm^3 of the solution in another test-tube, add 2-3 drops of bromine water.

Observations	Inferences
(1 mark)	(1 mark)

(c) To 2cm^3 of the solution in a third test-tube add a spatula full of the sodium hydrogen powder provided.

Observations	Inferences
(1 mark)	(1 mark)



.....
.....
(ii) Determine the acceleration of free fall on the moon showing clearly your work (1 mark)

(iii) Determine the total distance traveled by the ball in 1.0 sec (2 marks)

(iv) Find the weight of the ball on the moon (2 marks)

(v) If the ball was projected vertically upwards on the earth with the same velocity. What difference would you expect to observe in the velocity-time graph above? Illustrate with a sketch on the same axis. (1 mark)


(b) The figure below represents part of a tape pulled through the ticker-timer of frequency 50Hz moving down an inclined plane.



If the trolley was allowed to move down the inclined plane for 4 seconds. Calculate the distance it covers. (3 marks)

.....
.....
13 a) State two differences between boiling and evaporation. (2 marks)

.....
.....
(b) 200g of a solid was uniformly heated by a 0.2kw heater for sometime. The graph in the figure below shows how the temperature of the solid changed with time.



(i) Explain what is happening between OA and AB. (2 marks)

(ii) Calculate the specific heat capacity of the solid. (3 marks)

.....

(iii) Calculate the specific latent heat of fusion k of the solid. (3 marks)

.....
.....


14 (a) (i) Define the term velocity ratio (V.R) (1 mark)

(ii) Name one machine that has a velocity ratio of less than one (V.R < 1) (1 mark)

(b) The figure below shows a set-up used to find the mechanical advantage of a pulley system\



On the axes provided sketch a graph of mechanical advantage (M.A) against load (L) (2 marks)



(c) A hydraulic machine is used to raise a load of 100kg at a constant velocity through a height of 2.5m. The radius of the effort piston is 1.4cm while that of the load piston is 7.0cm. given that the machine is 80% efficient, calculate: -

(i) The effort needed (3 marks)

.....
.....

(ii) The energy wasted in using the machine (3 marks)

.....
15. a) Define pressure and state its S.I Units. (2 marks)

b) State Pascal's principal. (1 mark)

.....
c) In construction of a mercury barometer care is taken to make sure it has no gas in the space above mercury.

i) How would you test whether there is gas above? (1 mark)


.....
iii) State the problem caused by the presence of gas in the barometer. (1 mark)

.....
d) Find the total pressure experienced by a diver 8 meters below the sea surface.
Take; Atmospheric pressure = $103\,360\text{N/m}^2$. Density of sea water 1030kg/m^3
(3 marks)

.....
e) i) The air pressure at the base of a mountain is 75.0cm of mercury while at the top it is 60.0cm of mercury. Given that the average density of air is 1.25kgm^{-3} and the density of mercury is 13600kgm^{-3} , calculate the height of the mountain.

.....
ii) State factors that affects pressure due to liquid column. (2 marks)

.....
16 a) The figure below shows a circuit diagram for a device for controlling the temperature in a room.



i) Explain the purpose of the bimetallic strip. (2 marks)

.....

ii) Describe how the circuit controls the temperature when the switch is closed. (2 marks)

.....

b) (i) Explain why bodies in circular motion undergo acceleration even when their speed is constant. (1 mark)

.....

(iii) A particle moving along a circular path of radius 5cm describes an arc of length 2cm every second. Determine:

I) Its angular velocity (2 marks)

II) Its periodic time. (2 marks)

.....

(iv) A stone of mass 40g is tied to the end of a string 50cm long and whirled in a vertical circle at 2rev/s. Calculate the maximum tension in the string.

(3 marks)

.....

END