
K.C.S.E CHEMISTRY PAPER 233/2 2001

 In an experiment to study the rate of reaction between duralumin (an alloy of aluminium, magnesium and copper) and hydrocaloric acid, 0.5g of the alloy were reacted with excess 4M hydrochloric acid. The data in the data below was recorded. Use it to answer the questions that follow.

Time (minutes)	Total volume of gas (cm³)
1 2	0
1	220
2	410
3	540
4	620
5	640
6	. 640
7	640

 a) i) On the grid provided, plot a graph of total volume of gas produced (vertical axis) against time
 (3 marks)



- ii) From the graph, determine the volume of gas produced at the end of 2½ minutes (1 mark)
- b) Determine the rate of reaction between the 3rd and 4th minute (1 mark)
- Give a reason why some solid remained at the end of the experiment (2 marks)

d) Given that 2.5cm³ of the total volume of the gas was from the reaction between magnesium and aqueous hydrochloric acid, calculate the percentage mass of aluminium present in 0.5g of an alloy

e) State two properties of durahumin that make it more suitable than pure aluminium in acroplane construction (2 marks)

a) In which homologous series do the following compounds belong? (2 marks)

i) CH₃CCH

ii) CH₃CCH₂COOH


b) Raw rubber is heated with sulphur in the manufacture of natural rubber.

i) What name is given to the process? (1 mark)

(1 mark)

c) Study the scheme given below and answer the questions that follow

ii) Why is the process necessary?



i) Write an equation for the reaction between propan-1-0/ and potassium metal (1 mark)

	ii)	Name processes I and II	edis * e	1.0 0
		II Ders		
	:::>	Identify & and the last		
	iii)	Identify the products A and B		
		A STATE OF THE STA		
	\$0 \$0	Shirt		
, 4°,	Sivy ^o	Name one catalyst used in process II		
11/1				
	v)	Draw the structural formula of the repeating unit in t	he nolymer C	(1 mante
	3.E	and the repeating mut in t	the polymer C	(1 mark
		528 FM		
d)	Stat	e two industrial uses of methane		(2 marks
		M. The state of th		
a)	Stud	ly the standard electrode potentials for the half-cells g	given below and an	swer the
a)	Stuc	ly the standard electrode potentials for the half-cells g stions that follow. (The letters do not represent the ac	given below and an ctual symbols of the	nswer the
a)	Stuc	stions that follow. (The letters do not represent the ac E^{θ} (volts)	given below and an ctual symbols of the	nswer the e elements)
a)	Stud	Stions that follow. (The letters do not represent the action $E^{\theta}(\text{volts})$ $N^{+}_{(sq)} + e^{-} \longrightarrow N_{(s)} \qquad -2.92$	given below and an ctual symbols of the	iswer the e elements)
a)	Stud	Stions that follow. (The letters do not represent the action $E^{\theta}(\text{volts})$ $N^{+}_{(sq)} + e^{-} \longrightarrow N_{(s)} \qquad -2.92$	given below and an ctual symbols of the	nswer the e elements)
a)	Stuc	Stions that follow. (The letters do not represent the act $E^{\theta}(\text{volts})$ $N^{+}_{(\text{aq})} + e^{-} \longrightarrow N_{(s)} \qquad -2.92$ $J^{+}_{(\text{aq})} + e^{-} \longrightarrow J_{(s)} \qquad +0.52$ $K^{+}_{(\text{aq})} + e^{-} \longrightarrow \frac{1}{2}K_{2(g)} \qquad 0.00$ $\frac{1}{2}G_{2(\text{aq})} + e^{-} \longrightarrow G^{-}_{(\text{aq})} \qquad +1.36$	given below and an ctual symbols of the	nswer the e elements)
a)	Stuc	Stions that follow. (The letters do not represent the act $E^{\theta}(\text{volts})$ $N^{+}_{(\text{aq})} + e^{-} \longrightarrow N_{(\text{s})} \qquad -2.92$ $J^{+}_{(\text{aq})} + e^{-} \longrightarrow J_{(\text{s})} \qquad +0.52$ $K^{+}_{(\text{aq})} + e^{-} \longrightarrow \frac{1}{2}K_{2(\text{g})} \qquad 0.00$	given below and an ctual symbols of the	iswer the e elements)
a)	Stuc ques	Stions that follow. (The letters do not represent the act $E^{\theta}(\text{volts})$ $N^{+}_{(\text{aq})} + e^{-} \longrightarrow N_{(s)} \qquad -2.92$ $J^{+}_{(\text{aq})} + e^{-} \longrightarrow J_{(s)} \qquad +0.52$ $K^{+}_{(\text{aq})} + e^{-} \longrightarrow \frac{1}{2}K_{2(g)} \qquad 0.00$ $\frac{1}{2}G_{2(\text{aq})} + e^{-} \longrightarrow G^{-}_{(\text{aq})} \qquad +1.36$	ctual symbols of the	e elements)
	i)	Stions that follow. (The letters do not represent the actions that follow. (The letters do not represent the action $E^{\theta}(\text{volts})$) $N^{+}_{(aq)} + e^{-} \longrightarrow N_{(s)} \qquad -2.92$ $J^{+}_{(aq)} + e^{-} \longrightarrow J_{(s)} \qquad +0.52$ $K^{+}_{(aq)} + e^{-} \longrightarrow \frac{1}{2}K_{2(g)} \qquad 0.00$ $\frac{1}{2}G_{2(aq)} + e^{-} \longrightarrow G^{-}_{(aq)} \qquad +1.36$ $M^{2+}_{(aq)} + 2e^{-} \longrightarrow M_{(aq)} \qquad -0.44$	for your answer	(2 marks)
	i)	Stions that follow. (The letters do not represent the actions that follow. (The letters do not represent the action $E^{\theta}(\text{volts})$) $N^{+}_{(aq)} + e^{-} \longrightarrow N_{(s)} \qquad -2.92$ $J^{+}_{(aq)} + e^{-} \longrightarrow J_{(s)} \qquad +0.52$ $K^{+}_{(aq)} + e^{-} \longrightarrow J_{2}K_{2(g)} \qquad 0.00$ $I_{2}G_{2(aq)} + e^{-} \longrightarrow G_{(aq)} \qquad +1.36$ $M^{2+}_{(aq)} + 2e^{-} \longrightarrow M_{(aq)} \qquad -0.44$ Identify the strongest oxidising agent. Give a reason Which two half-cells would produce the highest potential of the produce of the produce of the highest potential of the produce of the	for your answer	(2 marks)


100cm3 of 2M sulphuric acid was electrolysed using the set up represented by the diagram below Gas L Platinum Platinum 2 M Sulphuric acid Write an equation for the reaction that produces gas L (1 mark) i) (2 marks) Describe how gas K can be identified ii)


iii)	Explain the difference in:		
	I	the volumes of the gases produced at the electrodes	(3 marks
		*	
	n	brightness of the bulb if 100cm3 of 2M ethanoic acid was use	d in place of
	**	sulphuric acid	(2 marks

 a) Fractional distillation of liquid air usually produces nitrogen and oxygen as the major products.

i) Name one substance that is used to remove carbon dioxide from the air before it is changed into liquid (1 mark)

ii) Describe how nitrogen gas is obtained from the liquid air (Boiling points Nitrogen = -196°C, Oxygen = -183°C) (2 marks)





		200	er			
a)	Study the information in the table below and answer the questions that follow					
=#		e letters do no	t represent the actual symbols			
100	2	Element	Electronic configuration	Ionisation energy kJmol ⁻¹	7	
, A	\$ \$ \$	Ç. P	2.1	519	7	
400		Q	2.8.1	494		
TOTAL !	r L	R	2.8.8.1	418		
′ ′	i)	What is the g	eneral name given to the group	o in which elements P, Q and R	belong? (1 mark	
l an	14.250	W/L	.1. 1. 1			
_	ii) 	What is mean	t by ionisation energy		(1 mark	
	iii)	Explain why	element P has highest ionisation	on energy	(1 mark	
	1V)			ter, it melts and a hissing sound water. Explain these observation		
					(3 marks	
	v)	Write an equa	ation for the reaction between	element Q and water		
b)	58		ation for the reaction between o		(1 mark	
	Dist	tinguish betwee	en a strong and a weak base.	Give an example of each	(1 marks	
b)	Dist	tinguish between		Give an example of each	(1 mark	
	Dist	tinguish between	ne of the methods of preparing the by neutralisation?	Give an example of each	(1 mark	