2 3 2 / 1 PHYSICS Paper 1 TRIAL 6 Time: 2 hours

## 2018 FORM THREE

Kenya Certificate of Secondary Education

FORM THREE 2 3 2 / 1 PHYSICS TRIAL 3


## Instructions to C and id a tes

- <u>ons to Candidates</u> Write your name and class register number in the spaces provided above. (a)
- Sign and write the date of examination in the paces provided above. (b)
- This paper consists of TWO sections: A and B. (c)
- Answer ALL the questions in sections Arand B in the spaces provided. (d)
- ALL working MUST be clearly shown. (e)
- Mathematical tables and non-program mable silent electronic calculators may be used. (f)
- This paper consists of 8 printed pages. (g)

S E C T I O N	Q U E STIO N S	M A X I M U M S C O R E	CANDIDATES SCORE
A	K 13	2 5	
	*0,		
В	1 4	1 4	
	1 5	0 8	
	1 6	11	
	1 7	1 2	
	1 8	1 0	
TOTAL		8 0	

## SECTIONA: (25 MARKS) Answerall question.

1. The figure below shows a mercury column.



Given that the height of the mercury column is calibrated in mm, state the reading of the column height. (1 mark)

2. Two springs of negligible weights and of constants  $K_1 = 50 N/M$  and  $K_2 = 100 N/M$  respectively are connected end to end and suspended from a fixed point as shown in the diagram.



A 200g mass was hung on the lowerend.
Calculate the spring constant of the combination.

(2 marks)


3. A nurse applies a force 30N to syringe. Given that the cross-sectional area of the tip of the needle is  $1.0 \times 10^{-7} \, \text{m}^2$ , calculate the pressure produced at the tip of the needle. (2 m arks)

4. Define diffusion.

(1 m ark)

5.	The pressure exerted by a gas of volume $0.024m^3$ at room temperature Determine the pressure at which the volume of the gas reduces to $0.018m$ temperature.	-
6.	State principle of m o m e n ts.	(1 m ark)
7.	Droplets of water sprinkled on greasy glass plate form spherical shapes. Explain	. (1 m ark)
8.	A boy throws a ball of mass 100g vertically upwards to a height of 5m. Calcuenergy with which the ball leaves the hand.	late the kinetic (2 marks)
9.	Give a reason why a house constructed with concrete beams reinforced with crack when subjected to temperature changes.	steel does not (1 m ark)
1 0	. The figure below shows two balloons inflated with air at room temperature.	
	Balloon A is painted black and balloon B is painted white. A little amount of ic poured on each balloon. State and explain the observation made.	e-cold water is (2 marks)

11. The diagram shows a paint spray gun.



Explain how the gun works.

(3 marks)

12. A drop of oil of volume 5.0 x 10<sup>-3</sup> cm<sup>3</sup> forms a patch of diameter 35 cm<sup>3</sup> on a water surface. Calculate the diameter of a molecule of oil. (3 marks)

13. A uniform metre rule pivoted at the 70cm mark balances when a mass of 100g is hung at the 90cm mark. Calculate the mass of metre rule. (3 marks)

SECTION B: (55 M ARKS)

14.(a) Differentiate between distance and displacement.

(1 m ark)

- (b) A car starts from rest and accelerates uniformly to 15 m/s in 5 seconds. It then continues at that speed for 40 seconds and then decelerates uniformly to a stop in 3 seconds.
  - (i) Sketch the velocity time graph for the motion.

(3 marks)

(ii) Determine the distance covered by the car.

(2 marks)

(iii) Find the average speed of the carduring the journey.

(2 marks)

(c) A trolley of mass 1.4 kg moving at 0.8 m s<sup>-1</sup> on a friction less horizontal surface was acted on by a force of 0.7 N. If the resulting speed of the trolley was 1.7 m s<sup>-1</sup>, determine

(i) The change of momentum of the trolley.

(2 marks)


(ii) The time interval the force acted on the trolley.

(2 marks)

(iii) The acceleration of the trolley.

(2 marks)

jisit. www.freekcsepastpapers.com 15. The figure shows a mass of 50kg p. Fed along an inclined planed by a force of 300N parallel to the inclined plane. The mass moves through a distance of 30m along the plane and rises a vertical height of 12 m.



(a) Determine:

(i) The work done on the load.

(2 marks)

(ii) The work done by the force.

(2 marks)

(iii) Efficiency of the inclined plane.

(2 marks)

(b) Give two ways by which the efficiency of the inclined plane can be improved. (2 marks)

16.(a) Write the expression for the equation of continuity and define each component of the equation. (2 marks)

(b) The figure below shows a Bunsen burner in operation with the air bore open.



(i) Explain how the air is drawn into the barrel when the gas supply is opened.

(2 marks)

(ii) W hat is the purpose of the metalring?

(2 marks)

(c) A pipeline is 15cm in diameter at one point and 7.6cm in diameter at another point. If the speed of water in the wider section is 1.2 m s<sup>-1</sup>, determine:


(i) The speed of water in the narrow section.

(3 marks)

(ii) The rate of discharge.

(2 marks)

17. (a) The diagram below shows a water pump designed to raise water from a well.



Take  $a=0.1\,m$ ,  $b=1.0\,m$ ,  $F=1.0\,0$  N, the diameter of the piston =  $5\,cm$ ,  $g=1.0\,N$  kg $^{-1}$  and the density of water =  $1.0\,x$ 10 $^3$  kg m $^{-3}$ .

water = 1.0 x 10<sup>3</sup> kg m<sup>-3</sup>.

(i) Determine the maximum force on the piston when a force of 100 N is applied at the end of the effort arm during the downward stroke.

(3 m arks)

(ii) Calculate the maximum pressure exerted by the piston on the water. (4 marks)

(iii) Determine the maximum height to which the water can be raised. (2 marks)

(b) The height of a mercury barometer at a place is found to be 58 cm. wh pressure at the place? (Density of mercury is 1.36 x 10 4 kg m <sup>-3</sup> .)	at is the atmospheric (3 marks)
18.(a) In an experiment to demonstrate Brownian motion, smoke was puobserved under a microscope. Smoke particles were observed to move ran (i) Explain the observation.	
(ii) Cina a raccan for uning am all norticles and because the conformation in the in-	
(ii) Give a reason for using small particles such as those of smoke in this ex	(1 m ark)
(iii)Whatwould the most likely observation be if the atemperature in the sm	oke cell was raised? (1 mark)
ars visit. N	
(b) An oil drop of average diameter 0.7 mm spreads out into a circular patch	of diameter 75 cm on
(i) Calculate the average theckness of a molecule of the oil.	(4 m arks)
(ii) State two assumptions made in (b) (i) above when calculating the molecule.	thickness of the oil (2 m arks)