THE KENYA NATIONAL EXAMINATIONS COUNCIL Kenya Certificate of Secondary Education

232/1

— PHYSICS —

Paper 1



(THEORY) Nov. 2019 – 2 hours



Name	Index Number
Candidate's Signature	Date

061

Instructions to candidates 2019 KG

- (a) Write your name and index number in the spaces provided above.
- (b) Sign and write the date of examination in the spaces provided above.
- (c) This paper consists of two sections; A and B.
- (d) Answer all the questions in sections A and B in the spaces provided.
- (e) All working must be clearly shown.
- (f) Non-programmable silent electronic calculators may be used.
- (g) This paper consists of 15 printed pages.
- (h) Candidates should check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing.
- (i) Candidates should answer the questions in English.

For Examiner's Use Only

Section	Questions	Questions Maximum Score	
A 6/4	1–13	25	N
	14	10	8 *
	15	11	
В	16	11	
	17	11	
	18	12	
	Total Score	80	







SECTION A (25 marks)

Answer all the questions in this section in the spaces provided.

1.	A micrometer screw gauge has a $-0.03\mathrm{mm}$ error. State the reading that is observed on the instrument when used to measure the diameter of a wire whose actual diameter is $0.38\mathrm{mm}$. (1 mark)
2.	Figure 1 shows a defective straw used to suck milk from a glass.
	Hole ————————————————————————————————————
	Figure 1
	It was observed that upon sucking the straw, milk did not rise up the straw. Explain this observation. (2 marks)

3.	State two ways of reducing the surface tension of a liquid.	(2 marks)

4. Figure 2 shows a round bottomed flask containing a coloured liquid. The flask is fitted with a capillary tube.




Figure 2

It is observed that on holding the flask with bare hands, the level of the liquid in the capillary			
tube initially drops slightly and then rises. Explain this observation.			

10.	For a fluid flowing at a velocity V in a tube of cross-sectional area A, VA = constant. State two assumptions made in deriving this equation. (2 mark			
11.	A stone of volume 800 cm ³ experiences an upthrust of 6.5 N when fully immersed in a certain liquid. Determine the density of the liquid. (2 marks)			
12.	Figure 5 shows two springs C and D of the same length and equal number of turns made from the same wire.			
	C D I			
	Figure 5			
	State with a reason which of the two springs can support a heavier load before attaining the elastic limit. (2 marks)			

Two boxes E and F of masses 2.0 kg surface using identical forces. State	g and 4.0 kg respectively are dragged along a frictionless with a reason which box moves with a higher velocity.
surface using identical forces. State	(2 ma
The second secon	
	The state of the s

SECTION B (55 marks)

Answer all the questions in this section in the spaces provided.

14.	(a)	A student is provided with five 20 g masses, a meter rule, a spring with a pointer, a stand, a boss and a clamp.
		ė.

In the space provided, sketch a labelled diagram of the set up that may be used in (i) order to verify Hooke's law using these apparatus. (3 marks)

	(ii)	State two measurements that should be recorded in order to plot a suitabso as to verify Hooke's law.	ole graph (2 marks)
	(iii)	Describe how the measurements made in (ii) can be used to determine the constant.	ne spring (2 marks)

(b)	A helicextens	cal spring stretches by 0.6 cm when supporting a weight of 40 g. Determination when the same spring supports a weight of 65 g.	ne the (3 marks)
			•••••



0187

(61




Figure 6

Indica	te on the diagram the direction of the load and the effort.	(2 marks)
(b)	State two ways in which an inclined plane can be made to reduce the applied equiling a load along the plane.	effort when (2 marks)
(c)	A block and tackle system has three pulleys in the upper fixed block and two the lower movable block.	pulleys in
	(i) Draw a diagram to show how the system can be set up in order to lift a indicate the position of the load and effort.	load and (3 marks)

(ii)	State the velocity ratio of the set up.	(1 mark)

061

	(111)	600 N. Determine its efficiency.	(3 marks
			••••••
16. (a)	State th	ne meaning of the term "heat capacity."	(1 mark)
	••••••		
			••••••
	•••••••		
(b)	State ho	w pressure affects the melting point of a substance.	(1 mark)
	•••••••••••••••••••••••••••••••••••••••		······································
	••••••		

(c) **Figure 7** shows a set up of apparatus that may be used to measure the specific latent heat of vaporisation of steam.




Figure 7

(i)	Describe how the mass of condensed steam is determined. (3 marks)
(ii)	Other than mass and time, state two other measurements that should be taken during the experiment. (2 marks)
(iii)	Show how the measurements in (c)(ii) can be used to determine the specific latent heat of vaporisation of water. (2 marks)

		(iv)	State the precaution that should be taken so that the mass of the conden measured corresponds to the actual mass of steam collected during the recorded in the experiment.		
		(v)	State why it is not necessary to measure temperature in this set up.	(1 mark)	
					190
17.	(a)	State	what is meant by <i>Brownian Motion</i> .	(1 mark)	

(b) **Figure 8** shows the graph of velocity against time for a small steel ball falling in a viscous liquid.




Figure 8



	(i)	Describe the motion of the steel ball as represented by part OA.	(1 mark)			
		<u> </u>				
	(ii)	Explain why the velocity between A and B is constant.	(3 marks)			
(c)	A student throws a tennis ball vertically upwards from the ground and it lands back after 8 seconds. (acceleration due to gravity $g = 10 ms^{-2}$)					
	Deter	mine the:				
	(i)	maximum height reached by the ball;	(3 marks)			
		II garage +- §				
		. L. S. J. Liu, Sry S. C. J.				
	(ii)	velocity with which the ball hits the ground.	(3 marks)			
			•••••			

(61

18. (a) **Figure 9** shows a graph of pressure against temperature for a fixed mass of gas at constant volume.




Figure 9

From the graph, determine the values of n and c given that $P = nT + c$ where are constants.	n and c (4 marks)
