Name		Adm No				
Class	Date	Student's signature				
232/3						
PHYSICS						
Paper 3						
JUNE 2022						
Time 21/2 HOU	URS					

BUNAMFAN CLUSTER EXAMS 2022

Kenya Certificate of Secondary Education (K.C.S.E)

Paper 3(232/3)

(Practical)

INSTRUCTIONS TO CANDIDATES

- 1. Write your name, index number, class, date and signature in the spaces provided above.
- 2. This paper consists of two questions 1 and 2.
- 3. Answer all questions in the spaces provided.
- 4. Non-programmable calculators and mathematical tables may be used.
- 5. Show all your workings.

QUESTION 1	a	dis.	e	f	g	h	k	TOTAL
Maximum score	1/2	11/2	1	31/2	2	61/2	5	20
Candidates score	is to							

QUESTION 2	С	d	e	f	i	j	k	l	TOTAL
Maximum score	1	1	2	1	2	1	2	4	20
Candidates score									

This paper consists of 10 printed pages. Candidates should check the question paper to ensure that all pages are printed as indicated and no questions are missing

QUESTION 1

PART A

You are provided with the following:

- -A watch glass
- -A piece of plasticine
- -A marble
- -A Stopwatch
- -An electronic balance (to be shared)
- Vernier calipers (to be shared)
- Geometrical set

Proceed as follows:

(a) Measure the mass, **m** of the marble.

$$\mathbf{m} = 4.8 \pm 0.5$$
 g

(1/2mark)

- b) Place the watch glass on the table. Cut the plasticine into two pieces and use them to hold the watch glass firmly on the table as shown in **Figure 1**.
- c). Release the marble from one end of the watch glass and time 5 complete oscillation with the stopwatch. Repeat this one more time,




Figure 1

d) Record your values in the Table 1

 $(1^{1/2} \text{ marks})$

	Time for 5 oscillations (seconds)	Periodic time, T (s)
1	4.05	0.8100
2	4.02	0.8040

	amust @1/2 mk	to 3sf all1/2mk	
		Table 1	I
e) Find t	he average periodic time T		(1mark)
	le of averaging must be shown t evaluation to at least 4 s.f or E units		
f) (i)Mea	asure the diameter of the marble	with the Vernier calip	ers, hence find its radius
Diamete	$\mathbf{r}, \mathbf{d} = 1.60cm + 0.50$	1d.p	(1mark)
If missin	ng units deny ½mk		rios
	$\mathbf{r} = \underline{0.00825m}$ The rmine the volume of the marble	given that $V = \frac{30 \text{ m/V}}{3} \text{ wh}$	ers, hence find its radius (1mark) ($^{1}/_{2}$ mark) nere π =3.142 (1mark)
-Correct		1/2mk	
(iii)Calc	ulate the radius of the curvature	of the watch glass R 1	From the formula R-r = $\frac{5gT^2}{7(2\pi)^2}$
	$s=10 \text{m/s}^2 \text{ and } \pi=3.142$		(1mark)
	t substitution when the substitution to 4 s.f or Exact units	¹ / ₂ mk ¹ / ₂ mk	

Correct evaluation

PART B

You are provided with the following:


• A glass prism

Range (3.50-4.50) 2dp

- A plain sheet of paper
- A soft board
- 4 optical pins
- 2 Thumb tacks

Proceed as follows:

- g) (i) Firmly fix the plain sheet of paper on the soft board using the thumb tacks and place the prism near the centre of the paper. Trace the outline of the prism using a pencil.
- (ii)Remove the prism from the outline and label the vertices of the outline L, M and N as shown in **Figure 2**



iii) On the side ML mark a point and draw the normal at that point. Measure an angle T, 60° from the line LM and draw a time along this angle as shown in **Figure 3.**




Figure 3

- iv). Replace the prism on the outline and fix pins P_1 and P_2 on the 60° line at a distance of 3cm from each other. View the images of the pins P_1 and P_2 through side MN and fix P_3 and P_4 so that they appear to be on straight line with the images of P_1 and P_2 .
- v). Remove the prism and the pins and draw a line to pass through the holes made by pins P_3 and P_4 . Extend the line into the outline as shown in figure 3 above. Also extend the 60° line so that the two lines cross each other at point O. Determine angle D and record it in the **Table 2**
- h). (i)Repeat the procedure and complete the Table 2

 $(2^{1/2} marks)$

Angle T (°)	60°	50°	40°	
Angle D(°)	470	40^{0}	39^{0}	Whole number $\pm 10^{1/2}$ mk
Angle $I^{\circ}(90^{\circ} - T)$	13 ⁰	10^{0}	10	Exact subtraction all 1mk


Table 2

- (ii) Determine the average value D_m of D
- Principle of averaging must be shown 1/2 mk
- Correct evaluation to 4 s.f or Exact 1/2 mk
- Ignore units

iii) Determine the constant k for the glass prism from the formula

(2marks)

(1mark)



- Correct substitution

- 1mk
- Correct evaluation to 4 s.f or Exact (k=1.5)
- 1mk

iv) State the significance of k

(1mark)

Refractive index of glass prism

1mk


PART C

You are provided with the following:

- A lens holder
- Convex lens
- A candle
- A screen
- A metre rule

Proceed as follows:

Set up the apparatus as shown in Figure 4



(i) Starting with u = 30 cm, adjust the position of the screen to obtain a sharp image of the candle flame. Record the value of v in **Table 3**.

(j)(i) Repeat the procedure in (g) for u = 30 cm. Complete **Table 3**

(3marks)

	<i>O</i> .\`	
u (cm)	v (cm)	$m=\frac{v}{u}$
30	30.0 CS	1
50	21.5. K	0.43
jisit	1d.p <u>+</u> 2.0 @1 mk	Correct evaluation to 4 s.f or exact all 1mk

Table 3

(ii) Given that the focal length f of the lens satisfies the equation $f = \frac{v}{m+1}$, determine the average value of the focal length, f. (2 marks)

1mk

- Principle of averaging must be shown

- Correct evaluation to 4 s.f or Exact 1mk

- Ignore units


QUESTION 2

You are provided with the following:

- An ammeter (0 1 A)
- A voltmeter (0-3 V or 0-5 V)
- A variable resistor
- A 10Ω carbon resistor
- A piece of resistance wire
- Two new dry cells
- A cell holder
- A switch
- Seven connecting wires

- a) Take the resistant wire and coil it around the biro pen to make a coil.

 b) Set up the apparatus as shown below such that the 100 contents connection. b) Set up the apparatus as shown below such that the 10Ω carbon resistor and the coil are in parallel



- c) Close the switch and the adjust the variable resistor such that the ammeter read a current of
- 0.08A and record the corresponding voltmeter reading V_1

i)
$$V_1 = 0.35 V + 0.10V$$
 at least 1d.p (1mark)

ii) Calculate total external resistance
$$\mathbf{R}_1 = \frac{\mathbf{V}_1}{\mathbf{I}}$$
 (1mark)

 $\frac{1}{2}$ mk Correct substitution Correct evaluation to 4 s.f or exact $\frac{1}{2}$ mk If missing unit deny 1/2mk If wrong units Penalize 1/2mk

d) Repeat (c) above for current of 0.16A and record the corresponding voltmeter reading V_2

i) $V_2 = 0.70 \text{ V} + 0.10 \text{V}$ at least 1d.p (1mark)

ii) Calculate total external resistance $\mathbf{R}_2 = \frac{\mathbf{V}_2}{\mathbf{I}}$ (1mark)

Correct substitution ½ mk
Correct evaluation to 4s.f or exact ½ mk

If missing unit deny ½mk
If wrong units Penalize ½mk

e) Find the average value of total external resistance \mathbf{R} (1mark)

Principle of averaging shown

Correct evaluation to 4s.f or exact

If missing unit deny ½mk

If wrong units Penalize

½mk

f) Determine the resistance, **C** of the coil

Application of the formula $\frac{1}{R} = \frac{1}{10} + \frac{1}{C}$ or $R = \frac{10C}{10 + C}$ 1mk

Correct evaluation of C to 4s.f or exact


If missing unit deny 1mk

If wrong units Penalize 1mk

g) Now set up the apparatus as shown below such that the voltmeter is connected across the cells, 10Ω carbon resistor and the coil are in parallel connection.

(2marks)

1mk



h) Close the switch and the adjust the variable resistor such that the ammeter read a current of **0.04A** and note the corresponding voltmeter reading. Record the value in the table below.


i) Repeat (g) above for other values of current and voltage and complete the table below

Current, I (A)	0.04	0.08	0.12	0.16	0.20	0.24
Voltage, V(V)	2.9	2.8	2.7	2.6	2.5	2.4

Each 1mk to a max of 4 correct values \pm 0.3V at least 1d.p NB: Voltage, V should NOT go beyond 3.0V

(4marks)

j) On the grid provided plot a graph of **Voltage**, **V** (**V**) against **Current**, **I** (**A**) (5 marks)



k) Determine the slope of the of the graph

(2marks)

Change in y 1/2mk Change in x 1/2mk Correct evaluation to 4s.f or exact 1mk If missing unit deny 1/2mk If wrong units Penalize 1/2mk

. the en. e. value of:

(Imark) Less

, volated.

, volated.

downtoad has resources

to downtoad has resources

visit www.freekcsepastpapers.com.to downtoad

visit www.freekcsepastpapers.com.to 1) Given that graph is related to equation $\mathbf{E} = \mathbf{V} + \mathbf{Ir}$ where \mathbf{E} and \mathbf{r} are the emf and internal resistance of the cells respectively. Use your graph to determine the value of:

 $\mathbf{E} = \mathbf{y} - intercept.$

To be read from the graph, so graph should be extrapolated. If missing unit deny ½ mk Penalise fully if graph not extrapolated

r = Slope

Ignore sign If missing unit deny ½ mk