Name:	Adm Number:	Class:

Index number.....

233/2

CHEMISTRY

PAPER 2

TIME – 2HRS

## SUKELLEMO PRE MOCK JOINT EXAMS tree etat

Pre Mock Examination

0


JUNE 2022


### **INSTRUCTIONS TO THE CANDIDATES:-**

- Write your Name, Index and admission number in the spaces provided. • ess
- Answer *all* the questions in the spaces provided.
- Mathematical tables and electronic calculators may be used •
- All working MUST be clearly shown where necessary. •

## For Examiners Use Only

Question	Maximum score	Candidate's score
1	55 <sup>6</sup> 12	
1 2 visitanny, treek	12	
visit and	10	
4	14	
5	12	
6	12	
7	08	
Total	80	






(v) Write equation of the reaction that takes place in:

k)
 k)
k)
25g
ks)
•••••


2. In an experiment to investigate the solubility of solid Y and Z, the following results were obtained.

Temperature °C	0	10	20	30	40	50
Solubility of solid Y (g/100g of water)	8	13	24	38	61	98
Solubility of solid Z (g/100g of water)	28	32	35	38	42	46



## .....

.....



d)	If a solution of	fY contains 35	g of solid in 100g of w	ater is cooled fi	rom 40°c, Deterr	mine
	(i) The tem	perature at whi	ch the crystals will fir	st form	(1n	nk)
(ii)			ed if the solution is co			nk)
e)	Compare the s	olubilities of Y	and Z in water.	ee eta	ر <b>گ</b> ار (2n	nks)
			acces	nore		
f)	Give one appl	ication of solul	oilities.		(1n	nk)
			answer the questions tl			
	Coloutiess solution J	Few drops	White precipitate	Filter and	Residue <b>M</b>	
			Colourless solution N			

White precipitate

 $\leftarrow$ 

Page 5 | 13

	Resid	ue M w	as yellow when hot and white w	hen cold.	
	(a)	(i)	Identify.		
Ι	White	e precip	tate K	(1	l mark)
II	Soluti	on N			(1 mark)
III	Resid	ue M			(tmark)
(ii) V			quation for the reaction of soluti	on N with $Pb(NO_3)_{2(a)}$	(kmark) <sub>aq)</sub> . (1 mark)
				. acce	
	s to the	colourl	tions that would be made when ess solution N.	o ammonia solution is a	
			6		
	(b)	Amm	onia gas bubbled into water forn as the solution formed when it is in.	ns a solution which co	onducts electricity thylbenzene does not. (2 marks)
		·····			
	(c)	somet			
		(i)	What is the chemical name for	boilers scales?	(1 mark)
		(ii)	How is the boiler scale remove		(1 mark) Page 6   13


(d) Write the formula of the anion in solution <b>J</b> .	(1 mark)
<ul> <li>4. (a) Name each of the processes described below which takes place when sal air for sometime.</li> <li>(i) Anhydrous copper (II) sulphate becomes wet.</li> </ul>	lts are exposed to (1 Mark)
(ii) Common table salt forms an aqueous solution	(1 Mark)
(iii) Fresh crystals of sodium carbonate Na <sub>2</sub> CO <sub>3</sub> .10H <sub>2</sub> 0 becomes covered with formula Na <sub>2</sub> CO <sub>3</sub> .H <sub>2</sub> O	n white powder of (2 Marks)
<ul> <li>(b) Write the formula of the complex ion formed in each of the reactions des</li> <li>(i) Zinc metal dissolves in hot alkaline solution</li> </ul>	(1Mark)
(ii) Copper hydroxide dissolves in excess ammonia solution	(1Mark)
(c) A hydrated salt has the following composition by mass. Iron 20.2%, Oxy Sulphur 11.5% and water 45.3%. Its relative formula mass is 278	/gen 23%,
(i) Determine the formula of the hydrated salt. (Fe = 56, S = 32, O = 16, H = 1)	(3Marks)

(ii) 6.9g of the hydrated salt was dissolved in distilled water and the total volume made to 250cm<sup>3</sup> of solution. Calculate the concentration of the salt solution in moles per litre. (2Marks)

(d) Describe how a solid sample of lead (II) chloride can be prepared using the following reagents:- dilute nitric acid, dilute hydrochloric acid and lead carbonate. (3 Marks)

 ans
ot
 a Mit
 · · · · · · · · · · · · · · · · · · ·

5. a) The set up below was used to prepare dry hydrogen gas.



i) Complete the diagram to show how dry sample of hydrogen gas can be collected. (3mks)

11) Hydrogen gas is used in hardening of oils into fats during the manufacture of margarin	ne. Give
two conditions necessary for the process to occur.	(2mks)
<ul> <li>iii) Give a reason why the following are not used in preparation of hydrogen gas in the la</li> <li>a) Magnesium metal</li> </ul>	b(2mks)
	• • • • • • • • • • • • •
b) Iron	
No.	
iv) Write the formula of the substance added in preparation of hydrogen to make the reac	(1mk)
and the second	(1mk)
15100.	
www	

**c** .


c

c

 $\sim$ 

··> TT 1

b) In an experiment to determine the proportion of oxygen in air, copper turnings were packed in excess along a combustion tube connected to two syringes of 120cm<sup>3</sup> each in volume. Syringe R contained 120cm<sup>3</sup> of air while syringe S was empty as shown.



Air was passed over the heated turnings slowly and repeatedly until there was no further change in volume. 95.5cm<sup>3</sup> of air remained in syringe R.

i) Why was air passed over heated copper slowly and repeatedly.	(1mk)
ii) State one observation made in the combustion tube during the experiment.	(1mk)
iii) Determine the percentage of oxygen used during the experiment.	(1mk)

# 6. Use the table below to answer the questions that follow.(The letters are not the actual symbols of the elements )

	-	
Element	Atomic number	Melting point ( <sup>0</sup> C)
		01
А	11	97.8
		ess.
В	13	660
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
С	14	1410
	CONT	
D	17	-101
Е	19	63.7
	ast	
L	COX	1


(a) Write the electronic arrangement for the ions formed by the elements B and D

B	( ½ mark)
VISIL	
D	_ ( ½ mark )

- (b) Select an element which is
- (i) a poor conductor of electricity \_\_\_\_\_( 1/2 mark )
- (ii) most reactive metal \_\_\_\_\_ (1/2 mark)

(c) Explain briefly how the atomic radii of element B and C compare.	(2 marks )
(d) Use dots ( $\bullet$ ) and crosses (x) to represent outermost electrons and show	w the bonding
in the compound formed between C and D.	( 2 marks )
Te and the second se	
(e) Explain why the melting point of element B is higher than that of element A.	(2 marks )
es no	
(f) Write an equation for the reaction that takes place between element A and wa	ater. (1 mark)
(g) Describe how a solid mixture of the sulphate of element E and lead (II) sulph	ate can be
separated into solid samples.	( 3 marks )

7. (a) Give the systematic names for following compounds;



Page 12 | 13

Substance <b>D</b>	(½mk)
Compound E	(½mk)

II. If 144kg of sugar ( $C_6H_{12}O_6$ ) was used to produce ethanol in this process, calculate the mass in kg of ethanol produced (C=12, H=1, O=16) (3 marks)

visit www.treekceepastpapers.com/to access more tree evans

### THIS IS THE LAST PRINTED PAGE.

STOP.