								vww.free	kcsepas	stpapers	s.com	EX		www.fre	eekcsep	astpapers.com
121/1 MAT PAP SEP	l THEN ER 1 TEM	ЛАТІ	CS A 2022	LT A		••••••	•				ADM CLA					•••••
L	AN	IJ		JO				AI						2	02	2
MAT	THEN	ЛАТІ	CS A	LT A		Kenyo	a Cert	ificate	e of Se	econd	ary E	ducati	on			
	ER 1															
TIM	E: 27	2 HO	URS										ois.	.om		
INST	ΓRU(	CTIO	N TO	CAN	DID	ATE'	<u>S</u> :						ois.			
(a)	Write	your	name,	inde	x num	ber a	nd sch	hool in					the to	op of t	this po	ige.
								in spa								
				v				<b>ection</b> and a			_ ' / F		Section	n II		
,				•				givin		- (	/1 \				e spac	es
				each q						YO.			J		•	
								g even								
							nic ca rwise.	lculat	ors an	d KN	EC M	athem	atical	l table	es may	,
			•				rwise. pages,	100								
								aper t	o asce	ertain	that d	ıll the	pages	s are p	orinte	d
					_		<b>–</b> )	nissin	_							
j) <b>C</b>	andid	lates s	should	d ansv	ver th	e que	estions	s in E	nglish	·•						
					é	+										
FOR	EXA	MIN	ER'S	USE	ONL	<u>Y</u> :										
SEC	TION	JT		61												
<u> </u>	TION 2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	TOTAL
			-													1 3 1111
SEC'	TION	N II														
17	18	19	20	21	22	23	24	TOT	ΓAL					Gra	nd	

**Total** 

## **SECTION I: (50 MARKS)**

## Answer all the questions in this section in the spaces provided.

Two signals have been set to flash at interval of 15 minutes, 24 minutes if they flash at 8.13am 1. When will they flash together again? (2 marks)

Solve for m in the equation:  $3^{4(m+1)} + 3^{4m} = 246$ 2.

(3 marks)

tree exams at www.freekcsepastpapers.com Use tables of cubes, cube roots and reciprocals to find the value of;

$$\frac{4}{(8.63)^3} + \left(\frac{5}{34.46}\right)^{\frac{1}{3}}$$

**Evaluate:** 4.

(3 marks)

$$\frac{\frac{1}{2} \text{ of } 3\frac{1}{2} + 1\frac{1}{2}\left(2\frac{1}{2} - \frac{2}{3}\right)}{\frac{3}{4} \text{ of } 2\frac{1}{2} \div \frac{1}{2}}$$

5. If  $\tan X = \frac{4}{3}$ , find the value of  $\sin^2 X + \cos^2 X$  without using tables or calculator. (3marks)



6. Triangle  $A^1B^1C^1$  is the image of triangle ABC under the transformation represented by the matrix  $\begin{pmatrix} 3 & 1 \\ 5 & 4 \end{pmatrix}$ . If the area of triangle A<sup>1</sup>B<sup>1</sup>C<sup>1</sup> is 140cm<sup>2</sup>, find the area of triangle ABC. (3 marks)

ANESTAR SCHOOLS

7. Use the exchange rates below to answer this question

	Buying	selling		
1 US dollar	63.00	63.20		
1 UK£	125.30	125.95		

A tourist arriving in Kenya from Britain had 9600 UK sterling pounds (£). He converted the pounds to Kenya shillings at a commission of 5%. While in Kenya he spent 3/4 of this money. He changed the balance to US dollars after his stay. If he was not charged any commission for this last transaction, calculate to the nearest US dollars the amount he received. (3mks)

Convert 0.123 into a fraction. 8.

(3 marks)

9. A train moving at an average speed of 72km/hr. takes 15 seconds to complete cross a bridge that is 80m long. Find the length of the train. (3 marks)

The interior angle of a regular polygon is 6½ times the exterior angle. How many sides does the 10. polygon have? (3 marks)

Simplify:  $\frac{3a^2 - 48}{48 - 24a + 3a^2}$  where  $\frac{3a^2 - 48}{48 - 24a + 3a^2}$  where  $\frac{3a^2 - 48}{48 - 24a + 3a^2}$  and  $\frac{3a^2 - 48}{48 - 24a + 3a^2}$  where  $\frac{3a^2 - 48}{48 - 24a + 3a^2}$  and  $\frac{3a^2 - 48}{48 - 24a + 3a^2}$ 

11.

$$\frac{3a^2 - 48}{48 - 24a + 3a^2}$$

(3 marks)


12. A solid metal cuboid 1.5m long, 0.4m wide and 0.25m high is made of material of density 7.5g/cm<sup>3</sup>. Calculate its mass in kg. (3 marks)

- 13. Find the equation of a straight line which is equidistant from the points A (2, 3) and B (6, 1). Express your answer in the form  $\frac{x}{a} + \frac{y}{b} = 1$  where a and b are constant.
- Ruto is  $2\frac{1}{4}$  times as old as his son. Five years ago, the ratio of their ages was 8:3. What will be their ages 6 years from now? (4 marks) 14.

15. Two similar cylinders have diameter of 7cm and 21cm. If the larger cylinder has a mass of 6237g. Find the mass of the smaller cylinders. (4 marks)

Find the inequalities that define the region R shown in the figure below.

(3 marks) 16.



## aekcsepastpapers.com.

## SECTIONE. (30 WARRS)

Answer any FIVE questions from this section.

17. Samatha and Meshi entered into abusiness partnership in which they contributed Kshs. 120,000 and Kshs. 150,000 every year respectively. After one year Fuki joined the business and contributed Kshs. 90,000

a) Calculate the ratio of their investment after 3 years of business (3mks)


b) It was agreed that 30% of the profits after 3 years be used to cater for the cost of running the business, while the remaining would be shared proportionally. Calculate each person's share if

the profit made after three years was Kshs, 187,000.

(4mks)

c) If each of them invested their shares in the business, find their new individual investments at the beginning of the fourth year. (3mks)

18. In the figure below OQ = q and OR = r. Point X divides OQ in the ratio 1:2 and Y divides OR in the ratio 3:4. Lines XR and YQ intersect at E.



- (a) Express in terms of q and r.
  - (i) XR.

(1 mark)

- YQ. (ii)
- If XE = mXR and YE = nYQ, express OE in terms of (b)
  - (i) r, q and m.

(1 mark)

(ii) r, q and n. (1 mark)

Using the results in (b) above, find the values of m and n. (c)

(6 marks)

n. n. s.com

in the example of the e 19. A car accelerates from rest for 10seconds until it reaches a velocity of 12meters per second. It then continues at this velocity for the next 40 seconds after which it breaks are applied and it comes to rest at a constant retardation of 1.5meters per second squared.

- a) Determine
- The acceleration over the first 10seconds i)

(2mks)

ii) The time taken during the retardation

(2mks)

- b) Draw the velocity time graph for the journey and use it to determine
  - i) The total distance covered by the car

(4mks)

ii) The percentage of the total distance which was covered during the first 15 seconds. (2mks)

the ex

20. (a) Complete the table given below for the equation  $y = -2\chi^2 + 3\chi + 3$  for the range  $-2 \le x \le 3.5$  by filling in the blank spaces. (2 marks)

by IIII	ınıg in t	ne oran	k space	,s.								
χ	-2	-1.5	-1	-0.5	0	0.5	1	1.5	2	2.5	3	3.5
у		-6		1						-2		-11

(b) Use the values from the table above to draw the graph of  $y = -2\chi^2 + 3\chi + 3$ . (3 m

- (c) Use your graph to:
  - determine the integral values of  $\chi$  in the graphs range which satisfy the inequality  $2\chi^2 3\chi 3 \ge 3$ . (3 marks)

(ii) Solve -2χ² + 2χ + 5 = 0. (2 marks)

21. A sector of a circle of radius 40cm subtends an angle of 26° at the centre of the circle.

$$\left(Take \ \pi = \frac{22}{7}\right).$$

(a) Calculate

The area of the sector. (i)

(2 marks)

(ii) The length of the arc.

- (2 marks)
- The sector is folded to form an inverted right cone. Calculate

  (i) The base radius of the cone.

  i) To one decimal. (b)

(2 marks)

To one decimal place, the vertical height of the cone.

(2 marks)

Calculate the capacity of the cone in litres. (c)

(2 marks)

www.freekcsepastpapers.com www.freekcsepastpapers.com www.freekcsepastpapers.com

22. The table below shows marks obtained by 100 candidates at Eastside High School in a Biology examination.

Marks	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 - 94
Frequency	6	14	24	14	χ	10	6	4

(a) Determine the value of  $\chi$ . (2 marks)

State the modal frequency. (1 mark) (b)

tree exams at www.freekesepastpapers.com Calculate the median mark. (4 marks) (c)

(d) Calculate the mean mark. (3 marks)

- 23. A straight line passes through points (8, -2) and (4, -4)
- a) Write its equation in the form ax + by + c = 0 where a, b and c are integers.

(3 marks)

b) If the line in (a) above cuts the x axis at point P, determine the coordinates of P.

(2 marks)

Another line which is perpendicular to the line in (a) above passes through point P and cuts the Y axis at the point Q. Determine the co-ordinates of point Q. (3 marks)

d) Find the length of QP.

(2 marks)

- 24. (a) After t seconds, a particle moving along a straight line has a velocity of V m/s and an acceleration of (5-2t) m/s<sup>2</sup>. The particles initial velocity is 2m/s.
  - (i) Express V in terms of t.

(3 marks)

(ii) Determine the velocity of the particle at the beginning of the third second. (2 marks)

tree exams at www.

(b) Find the time taken by the particle to attain maximum velocity and the distance it covered to attain the maximum velocity. (5 marks)