(1mark)

K.C.S.E 2012 PHYSICS PAPER 2

SECTION A (25 marks) Answer ALL the questions in this section in the spaces provided

Figure 1, shows a plane mirror XY placed equidistant from two parallel lines AB and PT.





Four students stand at P, Q, R and T in front of the mirror

(a) Indicate the positions of the images of students at Q, R and T on line AB.	(1 mark)
(b) State which of the three images are visible to the student standing at P.	(1 mark)
(c) Using rays indicate on the figure, how (b) above is possible.	(1 mark)

Figure 2, shows two mirrors PQ and QR inclined at an angle of 110°. A ray of light is incident on mirror PQ at an angle of 60°.



Figure 2

Complete the diagram to determine the angle of reflection of the ray in the mirror QR. (3 marks)

Figure 3, shows four identical light bulbs connected to a 15 volt battery whose internal resistance 3. is negligible.





Draw on the diagram, the resulting electric field pattern. (2marks)

5. Figure 5, shows an object O at the bottom of a beaker full of a liquid. An observer above the beaker sees its image at point X inside the liquid.



(3marks)

6. Figure 6, shows a narrow beam of radiation from a radioactive sources, incident to a postcard. The emergent radiation passes through a magnetic field which is perpendicular to the plane of the paper, and into the paper.



A detector moved along line AC detects radiations only at points B and C. State the two types of radiation detected. (1mark)

Figure 7, shows two similar coals P and Q around the end L and M of a piece of soft iron. 7. A steady current passes through the coils.



State the polarity of the resulting magnet at end L. (1mark)

- Light from a lamp falls on the cap of a negatively charged electroscope. It is observed that the divergence of the leaf decreases. Explain the observation. (2 marks)
- 9. Figure 8, shows an object O placed in front of a diverging lens whose principal focus is F.



On the figure, draw a ray diagram to locate the image formed. (3marks)

Figure 9, shows the cross-section of an optical fibre made of two types of glass. A and B. 10. The refractive index of B is fower than that of A.



- A ray of light enters the optical fibre at P and emerges from Q. i) Sketch the path of the ray through the fibre. (1mark)
- ii) State the reason why light travels through the fibre as in (i) above. (1mark)
- 11. Figure 10. Shows the cross section of a conductor held between two magnets and carrying a current out of the paper.



Figure 10

Indicate with an arrow on the diagram the direction in which the conductor will move when it is released. (1mark)

- 12. State why alternating current (a.c.) is used for transmitting electricity over long distances. (1marks)
- 13. Figure 11, shows an alternating current (a.c) connected across a diode D and a resistor R.



SECTION B (55 marks)

Answer All the questions in this section in the spaces provided. 14. a) Figure 12, shows a displacement – time graph for a progressive wave.







It is observed that the amplitudes are maximum at points Q and S, and minimum at points P and R.

i) Explain why the amplitude is maximum at Q.	(2marks)
ii) State why the amplitude is minimum at R.	(1mark)

iii) State what would happen if the two dippers had different frequencies (1mark)

15. Figure 14, shows a circuit in which a battery, a switch, a bulb, a resistor P, a variable resistor Q, a voltmeter V and two ammeters A₁ and A₂ of negligible resistance are connected.





P has a resistance of 10Ω . When the switch is closed, A₁ reads 0.10A and the voltmeter reads 1.5V.

a)	Determine; i) the current passing through P;	(3marks)	
	ii) the resistance of the bulb.	(2marks)	
b)	The variable resistor Q is now adjusted so that a larger current flows through	or Q is now adjusted so that a larger current flows through A2.	
	i) State how this will affect the resistance of the bulb	(1mark)	
	ii) Explain your answer in b) (i)	(2marks)	
c)	A house has one 100W bulb. Two 60W bulbs and one 30W bulb. Determ	ing the cost	

- A house has one 100W bulb. Two 60W bulbs and one 30W bulb. Determine the cost of c) having all the bulbs switched on for 70 hours, given that the cost of electricity is 40cents per kilowatt hour. (3marks)
- 16. a) Figure 15, shows two coils A and B placed close to 3each other. A is connected to a steady D.C. supply and a switch, B is connected to a sensitive galvanometer.



17. a) Figure 16, shows a graph of magnification against object distance, for an object placed in front of a lens of focal length 20cm.



Figure 16

Using the graph;

i) State the effect on the size of the image when the object distance is increased from 25cm. (1mark)

ii) Determine the distance between the object and the lens when the image is the same size as the object. (2marks)

iii)Determine the image distance when the object distance is 25cm. (3marks)

b) Figure 17 shows an object O placed in front of a converging mirror of focal length 15cm.



Draw on the figure a ray diagram to locate the image formed. (3marks)

- c) State why parabolic reflectors are used in car headlights. (1mark)
- 18. Figure 18 shows the parts of an x-ray tube.



Figure 18

a) Explain why;

i) A potential difference is applied to the filament. (2marks)

ii) A high potential difference is applied between the cathode and the anode. (2 marks)

iii) Most of the tube is surrounded by lead. (1mark)

- b) State how the resulting x-rays are affected by increasing the potential difference between the anode and the cathodes. (1mark)
- c) Light of frequency 7.5 x 10^{14} HZ strikes a metal surface whose work function is 4.0 x 10^{-19} J. Determine the kinetic energy of the emitted photoelectrons. (*take planks constant* $h = 6.63 \times 10^{-34}$ Js) (4marks)

K.C.S.E 2012 PHYSICS PAPER 3 PRACTICAL

Question

FOT MOLE

Youare provided with the following;

- Two biconvex lenses labeled A and B.
 - A light source.
 - Screen I with a hole and cross wire at its centre
 - Screen II
 - A metre rule.
 - A plane mirror.
 - A piece of cellotape.
 - Two lens holders.
 - A stand, boss and clamp

Proceed as follows;

Use the stand to hold the light source in line with the crosswires on screen I and lens A with the plane mirror as shown in figure 1.



Adjust the position or the lens with the mirror until a sharp image of the cross wires is found on screen I beside the crosswires. Measure the distance between the screen and lens A. ℓ_1 between the screen and lens A.

ℓ₁=_____

BOOKFLYER PRECISE PUBLISHERS